

OE ãæ Å^!ÁÛ {] ^

Schraube für Filterdeckel

Filterdeckel

Filter

Ansaugöffnungen


Gehäuse

Luftauslass

Luftanschlusstutzen

Schlauchklammer (2 Stk.)

Stromkabel



○ Š4•^} ÛaÁaÁÚc@æ à^} (B) ˇ nd e} c^i} ^} ÛaÁa^} T [d iá^&^}. (•ã@ Fig 2-C)

○ Š4•^} ÁÚaÁaÁÚ&@æ à^} (C) ˇ nd æ•&@} ÁÚa á^ã•^ãá ÁaÁ^} d[c^}. (•ã@ Fig 2-C)

○ Š4•^} ÛaÁaÁÁˇ c^i} Á(D) ˇ } d : a @} ÁÚaÁai^ T ^{ àiæ^Áæ c^Pæc^Áom T agnet^} Áæ. Gã@ÁFig 2-D)

○ T [] c^i} ÁÚaÁa neˇ ^} T ^{ àiæ^} Á} áÁc^c^i} ˇ nd à^•c^i} ÁÚaÁa•^Á áá^} Áˇ c^i} (D). Gã@ÁFig 2-D)




Fig 2-C

Pā, ā:

X^i, ^} á^} ÁÚaÁaÁeˇ ^} Áˇ c^i} (D) æ•Á^} Ü^] ææ i^•Ác^c^i} ÁÚaÁaÁc^c^i} ÁÚ[•ã] Á^iÁˇ c^i}.

○ Óæ^} ÁÚaÁaÁÚ {]^Áˇ } Á aá^iÁ Á { *^i^c^i} Ü^ã@} { |^Áˇ •æ { ^} É




Fig 2-D

Pā, ā: Ö^iÁ^i{ æ^} d æ} ^cáæ-Á æc^c^i} Á [] æ^ \^ã^•æ•ÁaÁÚ ˇ |^} Á^i>@^} Á

○ Úi>@^} ÁÚaÁ [iÁQàcáà æQ ^Áæ Áˇ c^i} á^iç [| { ^} Á} áÁa Áæ c^c^i} \^.

VORSICHT !

○ Òã Á [] c^c^i, á&@} Á T agnet ˇ } áÚ] ˇ |^} Á>@c^i}, áá^i|æc^i} Z^i•c^i} *Á^iÁÚ {]^Á

GEFAHR !

○ Ói>@^} ÁÚaÁ^ã^Ác [{ >@^} á^} Á^ã.ÁÚc [{ •&Qæ *^æc^c^i}

H Yfa cgW i mgW Uhyf

ÖaÁÚ] ˇ |^} •ã áÁ áá^ { Ác^i} [•&c^c^i} •&c^c^i} Áæ •^•æc^c^i} Á^Áá^i Vemperatur ç [] 130»Ô Ç± Í »ÁÁæ•|4•c Y en} áæ Ú] ˇ |^} c^i} peratur æ ~ 85»Ô Ç± 15»ÔÁã \ç, ááÁ^iÁÚ&c^c^i} Áæ ç { æã &Á^æ c^c^i} c^c^i} nd áá ÁÚmp^ schaltet wieder ein.

